



Constructeur français  
de moyens de  
trouçonnage standards  
et spéciaux.


## FICHE TECHNIQUE

ARG 105 MOBIL


<https://www.coup-indus.fr/produit/arg-105-mobil/>



### ARG 105 MOBIL



**Small portable saw designed for construction sites, installations and workshop production. In order to minimize the total weight the arm, base plate and table are made of cast aluminium. To achieve the maximum service life the vice and wheels of the saw band are made of grey cast iron. Saw band feed into cut, arm uplift and material clamping are carried out manually.**



---

Category: [Manuelles](#)

## GALLERY IMAGES



## PRODUCT DESCRIPTION

- Modern concept of the band saw arm allows for large cutting ranges in upright and angular cuts.
- Continuous adjustment of the cutting angle within the range 90°-60° when the workpiece is clamped tight.
- Simple locking and adjusting of the desired cutting angle on the angle scale.
- Maximum cutting accuracy and saw band service life in this category of band saws.
- High-precision three-side hardmetal band saw guidance.
- Manufactured bearing of running wheels and tensioning wheel system are the same as in big professional machines.



Constructeur français  
de moyens de  
trouçonnage standards  
et spéciaux.

## FICHE TECHNIQUE

ARG 105 MOBIL

<https://www.coup-indus.fr/produit/arg-105-mobil/>

- Professional, noiseless and maintenance-free band drive is provided by an industrial electric motor with worm gearbox.
- The machine is equipped with a 200mm workpiece stop.



	<b>90°</b>	<b>+45°</b>	<b>+60°</b>
●	130	115	70
■	130	105	60
■	180 x 100	115 x 75	70 x 60

Main motor	230 V, 50 Hz, 0,55 kW
Saw blade speed	75 m/min.
Machine dimensions (min.)	300 x 750 x 450 mm
Machine dimensions (max.)	650 x 850 x 710 mm
Machine weight	29 kg

Convoyeurs disponibles:





Constructeur français  
de moyens de  
trouçonnage standards  
et spéciaux.

## FICHE TECHNIQUE

ARG 105 MOBIL

<https://www.coup-indus.fr/produit/arg-105-mobil/>



### **Workpiece stop - Standard equipment**

Simple stop for setting the required length of the material to be cut.